Staff Summary Report

q-j



To: Mayor and City Council Through: City Manager

Agenda Item Number 23 Meeting Date: 06/07/01

SUBJECT: SCHLOTZSKY'S DELI #SGF-2001.08

PREPARED BY: DeeDee (D²) Kimbrell, Planner II (480-350-8331)

REVIEWED BY: Dave Fackler, Development Services Manager (480-350-8333)

BRIEF: This is the first public hearing for Schlotzsky's Deli for a 6th Amended General

and Final Plan of Development with a use permit and variances for Tempe Village

Square at 1401 West Southern Avenue.

COMMENTS: PLANNED DEVELOPMENT (0406) Hold the first public hearing for

SCHLOTZSKY'S DELI (Arizona Partners Retail Investment Group, property owner) for a new free standing restaurant located at 1401 West Southern Avenue.

The following approval is requested from the city of Tempe:

#SGF-2001.08 A 6th Amended General and Final Plan of Development for the Tempe Village Square commercial center for a new free standing 3,400 s.f. restaurant and 1,000 s.f outdoor sitting area (PAD A). The total center includes 94,718 s.f. of building area on 8.55 net acres in the PCC-1 Zoning District, located at 1401 West Southern Avenue, including the following:

Use Permit:

- a. Allow a 1000 s.f. patio area for outdoor dining in the PCC-1 Zoning District.
- b. Allow parking to be provided based on demand (shared parking). Variances:
- 1. Reduce the minimum required street side yard building setback from 50' to 40' along Priest Drive.
- 2. Waive the requirement of Parking by Demand for sites of at least 100,000 s.f. of gross floor area.

Document Name: 20010607devsrh08 Supporting Documents: Yes

SUMMARY:

The applicant is requesting an Amended General and Final Plan of Development for Tempe Village Square. The applicant wishes to develop a free standing 3,400 s.f. restaurant with a use permit to allow 1,000 s.f. of outdoor dining area (Pad A) located at 1401 West Southern Avenue on the southwest corner of Southern Avenue and Priest Drive. Also requested are a use permit to park on demand. And two variances, one to reduce the required street side yard building setback from 50' to 40' along Priest Drive and the second to waive the requirement of Parking by Demand for sites of at least 100,000 s.f. of gross floor area. Staff recommends approval subject to conditions. Planning Commission approved this request at their meeting on May 22, 2001 by a 5-2 vote.

RECOMMENDATION: Staff – Approval

Public - None to date

ATTACHMENTS:

- 1. List of Attachments
- 2. History & Facts / Description
- 3. Comments
- 4-5. Reasons for Approval / Conditions of Approval
 - A. Location Map
 - B. Plan of Development/Site Plan
 - C. Floor Plan
 - D. Elevations
 - E. Conceptual Landscape Plan
 - F. Letter of Explanation/Intent
 - G. Previously Approved Plan
 - H. Parking Study -4/24/01

HISTORY & FACTS:

July 27, 1972. City Council approved a rezoning from R1-6 to PCC-1.

March 30, 1978. City Council approved an Amended General and Final Plan of Development for

Kino Plaza.

April 10, 1980. City Council approved an Amended General and Final Plan of Development for a

C-2 use / use permit / bar for Kino Plaza.

March 23, 1982. City Council approved an Amended General and Final Plan of Development for

Kino Plaza to allow a Health Spa.

May 15, 1986. City Council approved an Amended General and Final Plan of Development for

Tempe Village Square (formerly Kino Plaza).

February 19, 1987. City Council approved an Amended General and Final Plan of Development for

Tempe Village Square (formerly Kino Plaza).

May 22, 2001. Planning Commission approved this proposal by a 5-2 vote for an 6th Amended

General and Final Plan of Development for the Tempe Village Square.

DESCRIPTION: Owner – Arizona Partners Retail Investment Group

Applicant – Architects Design Studio, Mark Irby

Architect – Architects Design Studio, Mark Irby

Parking consultant – Lee Engineering

Existing zoning – PCC-1

Total site area – 8.55 acres

Total bldg. area -94,718 s.f.

Schlotzsky's Deli – 3,400 s.f.

Schlotzsky's outdoor dining area -1,000 s.f.

Parking required by shared parking model – 468 spaces

Total parking provided – 352 spaces

Bicycle parking required for center – 36 spaces

Bicycle parking provided for center -10 spaces

Use Permits:

- 1. Allow a 1,000 s.f. patio area for outdoor dining in the PCC-1 Zoning District.
- 2. Allow parking to be provided based on demand (shared parking).

Variances:

- 1. Reduce the minimum required street side yard building setback from 50' to 40' along Priest Drive.
- 2. Waive the requirement of Parking by Demand for sites of at least 1000,000 s.f. of gross floor area.

COMMENTS:

The applicant is requesting an Amended General and Final Plan of Development for Tempe Village Square. The applicant wishes to develop a free standing 3,400 s.f. restaurant (Schlotzsky's Deli) with a use permit to allow 1,000 s.f. of outdoor dining area (Pad A) located at 1401 West Southern Avenue on the southwest corner of Southern Avenue and Priest Drive. Also requested are two variances, one is to reduce the required street side yard building setback from 50' to 40' along Priest Drive and the second, to waive the requirement of Parking by Demand for sites of at least 100,000 s.f. of gross floor area.

Schlotzsky's Deli is currently located as a tenant in the same shopping center on the southeast portion of the site. The current leased space for Schlotzsky's is 2,000 s.f. Schlotzsky's proposes to relocate to an empty pad on the northeast corner of the shopping center. The new location will consist of a 3,400 s.f. building, with and additional 1,000 s.f. outdoor dining area.

Current tenants of Tempe Village Square represent a mix of uses. The shopping center consists of a building space of approximately 95,000 s.f. REI represents the largest tenant size in the shopping center, with 17,074 s.f. of retail space plus 4,000 s.f. of storage space.

Currently, there are approximately 420 parking spaces on site. The parking configuration will be modified, resulting in a total of 468 parking spaces. City of Tempe's parking ordinance requirement for this center is 544 spaces. According to the parking model submitted by the parking consultant on April 24, 2001, peak demand at the center would occur on weekdays at 12:30 p.m. requiring 352 spaces. This leaves 116 spaces unoccupied during the heaviest period of the day. (This model assumes 100% occupancy of the lease spaces). Therefore, the parking study concludes that there is sufficient on-site parking. Staff has reviewed the parking study and concurs with the report.

Per Zoning Ordinance 808, shopping centers less than 100,000 s.f. in size need a variance to allow parking by demand. This is a technicality as there are quite a few shopping centers under 100,000 s.f. in size in Tempe that are parked using a shared parking model. Staff believes the variance should not be detrimental to surrounding properties.

Staff supports the use permits and the variances and concurs with the parking study. We believe that the proposal should not significantly increase traffic, cause a nuisance, contribute to the deterioration of the neighborhood or downgrading of property values, or cause disruptive behavior. We think this parking demand model is compatible with existing surrounding uses, therefore we support the request. To date, staff has not received any public input.

REASON(S) FOR APPROVAL:


- 1. Both the use permit for parking by a shared parking model and the variance to allow parking by demand in a center less than 100,000 s.f. appears to pass the required ordinance tests for granting the variance and use permit and should not have any negative impacts on surrounding properties.
- 2. Parking on-site for all tenants of Tempe Village Square should be adequate according to the parking by demand study dated 4/24/01.

CONDITION(S) OF APPROVAL:

- 1. a. The Public Works Department shall approve all roadway, alley, and utility easement dedications, driveways, storm water retention, and street drainage plans, water and sewer construction drawings, refuse pickup, and off-site improvements.
 - b. Off-site improvements to bring roadways to current standards include:
 - (1) Water lines and fire hydrants
 - (2) Sewer lines
 - (3) Storm drains.
 - (4) Roadway improvements including streetlights, curb, gutter, bikepath, sidewalk, bus shelter, and related amenities.
 - c. Fees to be paid with the development of this project include:
 - (1) Water and sewer development fees.
 - (2) Water and/or sewer participation charges.
 - (3) Inspection and testing fees.
 - d. All applicable off-site plans shall be approved prior to recordation of Final Subdivision Plat.
- 2. a. All street dedications shall be made within six (6) months of Council approval.
 - b. Public improvements must be installed prior to the issuance of any occupancy permits. Any phasing shall be approved by the Public Works Department.
 - c. All new and existing, as well as on-site and off-site, utility lines (other than transmission lines) shall be placed underground prior to the issuance of an occupancy permit for this (re)development in accordance with the Code of the City of Tempe Section 25.120.

- 3. Should the property be subdivided, the owner(s) shall provide a continuing care condition, covenant and restriction for all of the project's landscaping, required by Ordinance or located in any common area on site. The CC&R's shall be in a form satisfactory to the Development Services Director and City Attorney.
- 4. No variances may be created by future property lines without the prior approval of the City of Tempe.
- 5. A valid building permit shall be obtained and substantial construction commenced within one year of the date of Council approval or the variances and use permits shall be deemed null and void.
- 6. This plan shall be recorded prior to the issuance of permits, and shall show cross access to be maintained throughout this site over the driving aisles. No changes or modifications to the driving aisles will be allowed without the prior approval of the Engineering Department.
- 7. The applicant shall comply with all applicable state and federal laws regarding archeological artifacts on this site.
- 8. The use permit for out door patio is non-transferable and is issued to SCHLOTZSKY'S DELI only.
- 9. Parking by demand shall be administered accordingly and to up to date tenant list. The City of Tempe Planning Division should be notified of uses requiring more parking spaces than the ones approved and listed in Tempe Village Square Parking Demand Analysis, dated April 5, 2001.
- 10. Any intensification or expansion of the use shall require the applicant to return to the City Council for further review.
- 11. A Final Subdivision Plat must be approved by the City Council prior to building permits for this project.
- 12. The applicant shall resolve all lighting and security details with the Police Department prior to the issuance of a building permit.
- 13. Provide additional landscaping along Priest Drive to screen the drive-thru lane and to provide supplementary shade for pedestrians. Applicant shall work with Design Review staff to determine final landscape design. (ADDED BY COMMISSION)





Location Map SEE OTHER SIDE FOR MORE INFORMATION

of Development for 6th Amended General and Final Plan TEMPE VILLAGE SOUARE

BULDING AREA AHKANO REGUHED (CURRENT) GENERAL NOTES

BLUE STACE CENTER SHALL BE NOTHED AT LEAST 48 HOLDS PRICE TO ANY SCHEDLE EXCAVATION FOR LOCATION OF ALL INDERCISCAD UTILITIES THE CONTRACTOR SHALL GRADE TO MATCH BRISTING GRADAD AT PROPERTY OR EMBRISH LINE ONLESS OTHERWISE DIRECTED BY THE BRIGHERA THE CONTRACTOR AT HIS OWN EXPENSE REPAIR AND/ON REPLACE TILLITE LINES DAMAGED BY HIS

NITS TOPOCARAMIC REDISTATION TAKEN RECTI NITE BY BRACKY LANC SARVEY CO DATED MAY 5, 1918

BENCH HAMP.

CITY OF TEPME DATUM ELEVATION

16.3 36 TOP OF BRUSS CAP IN

14.400 HOLE AT MOSTERY LOSS

ATERISECTION OF BOLINERY

AVENUE AND PREENT DRIVE

ARUNG REGUIFED (NEW)

CITY of TEMPS - STANDARD DETAILS

ALVE BOX MATELATION
BOXCAND FOR MATELATION
FOR ALVEST
F LINE ENCAREMENT CUIT NOTALLATION MANAGER

AMENDED AREA

EX:816G - 939 8F / 892 AC NEW PAD A' - 3.400 8F / 852 AC NEW TOTAL APPROVED - 9839 8F / 852 AC

RETUCE THE REGULARD STREET SIDET LAND SETSLACK

ACREADE SITE COVERAGE TO 25.8%

AT PREST DRIVE PROTISO STREET PROTI TARD DETBACK AT PREST DRIVE PROTISO STREET PROTI STREET PROTISON OF TO AS STREET PROTISON OF THE PROTISON REDUCE THE REQUIRED PAINCHS PROTISE FOR NEU-FAD A REDUCE THE REQUIRED ON SITE LANDSCAPE STRIP ADJACENT TO A STREET PROTES -0" TO 6 -0"

CONDITIONS OF APPROVAL

NEW ALCOMENT OF CLEMENTAE DRIVE REVERSE FRONTAGE LANDROAPING AND LALLE BHALL BE NOTALLED WITH THE FROM PHANE OF DEVELOPMENT FOR TENNE CROSSROADS. REVIED PARKING AREA WALLE AND LANDSCAPING FOR TOPFE VILLAGE SOLARE SHALL BE NOTALLED WITH THE KIRDT PHASE OF DEVELORMENT

CONDITIONS OF APPROVAL PLAN TO DE 46-RECONCED DESGN REVIEW BOARD TO REVIEW AND APPROVE THE RESTAURANT ALL PUBLIC BAFETY CODES TO BE ADVENSED TO ALL PUBLIC WORKS REQUIREMENTS TO BE ADVENSED TO

DESIGN REVIEW CONDITIONS OF 4-17-86 THAT YARE IS GALLON TREES DE HISTALLED ON THE PAD SITE AT THE THE IT IS DEVELOPED DETAILS TO BE ANYWOOD, DIE 19 AMF PRODE TO SOLANCE OF BAIL DING PERFITS THAT THE PAID SITE BY THANTAINED WEED PRICE BY WAR OF WILLIAM TO OR WASHING DETAILS TO BE APPRIONED BY STAFF PRICES TO ISSUANCE OF BUILDING PERFITS

Design Studio

Architects

south mil avenue building A- suite 108- tempe, sitzons (480) 894-8380

SUBJECT TO ANY AND ALL EASEMENTS REGIT-OF-WAT OR RESTRICTIONS OF RECORD OR OTHERWISE EGAL DESCRIPTION HENCE BOUTH BY 1956" WEST, A DIBTANCE OF 330-26 HET. HENCE NORTH TATAS 49" WEST, A DIBTANCE OF 193-360 MET. EXISTER EASETENT 233 -4 BOUTHERN IN ANY BITTER OF THE STATE OF T ON THE DAY OF JOHNSON, JOHNSON, TO THE UNDERSCHIED OWER, PERSONALLY APPEARED ACKNOWLEDOMENT ഗ 0 EXIGING UTILITY EASEINENT XISTING I Þ STING ! SHOPPING BOUTHERN BOUTHERN z THIS IS TO CERTIFY THAT US HAVE SEVERED THIS PLAY AND HERESY APPREDUE THE DEVELOPMENT AS SHOUL OWNER'S STATEMENT NOS MEST < CENTER z \subset VICINITY MAP SUPERSTITION PRESERVAY SOUTHERN AVERUR DRIVEWAY N SEPTEMBER ٧ E R S


Southern and Priest 5 lempe, SCALE 1' - 40'-0" Arizona

Schematic





3



Proposed Conceptual Architectural Floor Plan

Schlotzsky's Deli Southern and Priest in



Schematic

Tempe,

Arizona


ALI DILIDAD BOANGE BAALI DE BY REPARATE PERSIT
PERSON OF THE BALLDAG AND SITE BAALL COPET, WITHTHE APERCOASE DUT DISABLITES BOT BATELLAN
ALI DILIDAD BOANGE BAAL DE BOUNDERSTEIN BUT BA

DESIGN REVIEW SUBMITTAL









Architects 860 south mill evenue building A- aute 106- tempe, erizone (480) 884-8380 Design Studio

Schematic

DESIGN REVIEW SUBMITTAL

SCALE 1/4" - 1'-0"

CITY OF TEMPE [Desp from]

LILL S

Plant Material List

DALBERGIA BIBBOO BIBBOO TREE GELIERA PARVEOKA

ACACIA BYALLII


PHOENIX DATE PALM

Trees

PROSOPIS CHILENSIS CHILEAN MESQUITE

Shrubs

M 88. 31, 72. [



CABAL PRIA PLICABRITA
LEUCONTILUT FALTEKENO
CABAL PRIA GACALACO
CABAL PRIA GACALACO
CABAL PRIA PLICABRITA
LE BETRALOS PARA PLICABRITA
LEUCONTILUT FALTEKENO
LEUCONTILUT FALTEKEN

AUSTICIA SPICKOERA BALVIA GREGOJI BETTONDSIA CHIMENSIS LABREA TRIDENTATA

Proposed Conceptual Landscape Plan: PAD

Schlotzsky's Deli Southern and



Architects Design Studio

660 south mill avenue building A: suite 108- tempe, artzona (480) 864-8380



Schematic

DESIGN REVIEW SUBMITTAL PROJECT / CARE + SPROOT?

Priest

3

Tempe,

Arizona

CHARLES AND WILL RECEIVE A JY DEPTH OF THE MAN OF MEET AND A PEET A PEET

Landscape Notes:

ANTANA PICHTEVIDENBIB BENKEADING GLAUBHINE

MERBA GRUNDIFLORA TUTTLE I RICAMERIA LARICHOLIA ACACIA REDOLENO DERRI CARRETT BACCIARRO CENTENIAL APERCOIA DELTODEA ENCELIA FARINDOA DALEA DREGAII

TYOPORUS PARVIFOLIUS (DWARF ANTOLINA VIRENS

Ground Covers











December 26, 2000

Ms. DeeDee Kimbrell
Planning Commision
City of Tempe
115 East Fifth Street, #1
Tempe, Arizona 85281



Re:

General/Final Plan of Development for Tempe Village Square Southern Avenue and Priest Drive, Tempe, Arizona

Dear Ms. Kimbrell

Letter of Explanation and Intent.

Schlotzsky's Deli, a privately owned corporation in Tempe, Arizona, intends to build an approximate 3,400 square foot free standing restaurant on the Northeast corner of the existing Tempe Village Square Shopping Center at Southern Avenue and Priest Drive.

The location amended in Febuary 26, 1997 was recorded to accommodate for a future restaurant. The restaurant site presently zoned Commercial PCC-1 is vacant. Schlotzsky's Corporation believes this is a good opportunity to complete the development of the Tempe Village Square and improve the overall appearance of the shopping center.

The image of the Schlotzsky's Deli Restaurant has been a symbol of quality and attention to detail. This motto is applied to all aspects of their business. The restaurant will be constructed of an EIFS (Exterior Insulation Finish System) and lap siding, colored to harmonize with the existing center. The project's color palette will be, a mixture of the existing Tempe Village Square and the traditional Schlotzsky colors. The colors along with the extensive use of native species landscaping and combination with colorful accents will enhance the image of the intersection and complement the project's high quality architecture.

Request for Variances

- 1. Reduce the required building set back at Priest Drive from 50'-0" to 40'-0".
 - Because of the existing parking configuration the layout of the New Building will encrouch into the required building setback.
- 2. Reduce the required parking spaces from 481 to 468.
 - The layout of the New Building and the Drive Thru Window service lane maximizes the parking space availability.

Sincerely,

Architects Design Studio

Mark Trby

660 South Mill Avenue, Bldg.-A Suite 108 Tempe, Arizona 85281 (480) 894-8380 fax (480) 894-0440

Schlotzsky's at Tempe Village Square Tempe, Arizona

PARKING DEMAND ANALYSIS

Prepared for:

Arizona Partners 3200 N. Central Avenue, Suite 2450

Phoenix, AZ 85012 Phone: (602) 266-6868 Fax: (602) 266-6116

Prepared by:



3033 N. 44th Street Suite 375 Phoenix, AZ 85018 **602/955-7206 FAX 602/955-7349**

ENGINEERING

April 5, 2001



Table of Contents

Introduction Description Proposed Site Modifications Methodology Adjustments Method #1 - Tempe Parking Ordinance Analysis Method #2 - Field Study	.1 .5 .5
Comparison of Method #1 vs. Method #2 Results	.9
Weekday vs. Weekend Parking Demand	
Bicycle Parking	.11
Conclusions	
Appendix	.13
Figure 1 Vicinity Map	
Figure 1 Vicinity MapFigure 2 Existing Site Layout	.3
Figure 1 Vicinity Map Figure 2 Existing Site Layout Figure 3 Proposed Site Layout	.3 .4
Figure 1 Vicinity Map	.3 .4 .6
Figure 1 Vicinity Map	.3 .4 .6 .7
Figure 1 Vicinity Map	.3 .4 .6 .7
Figure 1 Vicinity Map	.3 .4 .6 .7 .8
Figure 1 Vicinity Map	.3 .4 .6 .7 .8 .9
	.3 .4 .6 .7 .8 .9

INTRODUCTION

DESCRIPTION

This parking study analyzes the parking requirements as a result of proposed modifications to the Tempe Village Square shopping center in Tempe, Arizona. Lee Engineering has performed numerous parking studies of these types in Arizona, including many in the Tempe and Scottsdale area. This study follows guidelines provided by the City of Tempe in submitting a professional parking analysis. The site is located on the southwest corner of Southern Avenue and Priest Drive. A location map for the site is shown in Figure 1.

The current tenant occupants of Tempe Village Square are shown in Table 1. As shown, the occupants represent a mix of uses. The shopping center consists of a building space of approximately 95,000 square feet. REI represents the largest tenant size in the shopping center, with 17,074 square feet of retail space plus 4,000 square feet of storage space. Vacancies currently exist in Tempe Village Square for retail and office land uses.

Table 1. Tempe Village Se	quare Tenant Occupants	
Retail	Restaurant	Office
 REI* Golden Scissors Low Cost Drugs Brad Hotchkiss Thunderbird Party Sales Renalwest 	 Golden Egg Roll Schlotzsky's Deli Taco Mexico BJ's Meeting Place 	 Danny Udovia Rental Office Andrews Design Group Animal Clinic

School

AZ School of Massage Therapy

Bobbie's Flowers

Day Care

Discovery Time Child Care Hacienda de Los Angeles

Place of Worship

River Life Worship Center

plus an additional storage warehouse

The existing site configuration is shown in Figure 2. Schlotzsky's is currently a 2,000 square foot tenant, located on the southeast portion of the site.

PROPOSED SITE MODIFICATIONS

The modified site configuration is shown in Figure 3. Schlotzsky's will relocate to an empty pad on the northeast corner of the site. The new location will consist of a 3400 square foot building, with an additional 1000 square feet of patio space. A drive-through window will also be added.

The parking configuration will be also be modified, resulting in a total of 468 parking spaces. Currently there are approximately 420 parking spaces at the site. For the



purposes of this study, it was assumed that all currently vacated space (as well as the vacated space left by the proposed Scholtzsky's relocation) would be filled. Therefore, the study analyzes parking conditions assuming 100% tenant occupancy.

METHODOLOGY

The study is accomplished using a comparison of two methods of parking need determination: City of Tempe's Ordinance requirements, as well as field data collected at the site. The data collection (which is described later in this section) took place in March, a peak month in Arizona for population and visitation.

ADJUSTMENTS

The location and uses of this development result in a reduction in parking needs due to the following:

- Captive market (10%) The multi-use nature of this development allows for interaction between land uses. For example, the restaurant establishments are likely to be frequented by employees of other businesses in the shopping center. Interaction by outside sources using multiple land uses within the development is also likely. Shared Parking, published by the Urban Land Institute (1984), contains data on the effects of a captive market on mixed-use developments. The publication estimates an average of 28% of on-site employees in a non-CBD site (61% for CBD sites) are also patrons of the development.
- Transit/Bicycles/Pedestrians (5%) The site is easily accessed by Valley Metro Bus routes that run along both Southern Avenue and Priest Avenue. The area behind the site is largely residential, which may promote bicycle and pedestrian trips to the development. In addition, the presence of Arizona State University in the vicinity undoubtedly promotes a higher percentage of bicycles in the area.

METHOD #1 - TEMPE PARKING ORDINANCE ANALYSIS

The City of Tempe's Zoning Ordinance, obtained at http://www.tempe.gov/, contains specific parking requirements by use, as shown in Table 2. The requirements are based on the square footage of the land use, and for this study range from 1 space per 75 square feet (restaurant) to 1 space per 500 square feet (warehouse).

Table 2. City of Tempe Parking Requirements.

Land Use	Parking Spaces Required (1 space per)
Church/place of worship	100 sq. ft.
Day care	300 sq. ft.
Office	250 sq. ft. (or 150 sq. ft. for medical)
Restaurant	75 sq. ft. (150 sq. ft. for outdoor)
Retail – indoor	250 sq. ft. (up to 50,000 sq. ft.)
School Warehouse	200 sq. ft. 500 sq. ft. (up to 10,000 sq. ft.)

Source: Tempe Zoning Ordinance, Part 4.

•

Based on the City of Tempe parking requirements, the required number of spaces after site modifications was determined. Future parking needs were analyzed under the following conditions:

- Addition of a 4400 square foot Schlotzsky's pad (3400 sq. ft. indoors, 1000 sq. ft. outdoors).
- Assumption of a new restaurant tenant at the vacated 2000 square foot former Schlotzsky's.
- Assumption of tenants for previously vacant retail (10,060 sq. ft.) and office (868 sq. ft.) space.

This data was then factored by the "Percent of Ordinance by use and hour", as presented in the Tempe Parking Analysis and Management Study (shown in the Appendix). This data shows the percent of the total parking required by Ordinance for each group of uses, by hour of day, for the normal weekday¹. Figure 4 shows resulting future parking needs for the shopping center, based on relocation of the Schlotzsky's and 100% tenant occupancy. This data is based on the parking reductions described earlier in this section, as well an addition of 10% to account for demand fluctuation. The 10% adjustment is based on Tempe's guidelines, which states:

Parking Provided: Add between 5% (for large sites with stable Demand throughout the year) and 10% (for small sites with a Demand that fluctuates throughout the year) to the Parking Demand to get a realistic estimate of the amount of parking you should provide for this mix of uses.

Therefore, a 10% addition represents a conservative estimation of demand fluctuation at developments. The peak parking demand occurs at 1 pm, when 379 vehicles are projected to occupy parking spaces. This represents an occupancy of 89% (417 required spaces/468 available spaces) during the peak time of day. The raw data is presented in the Appendix.



See page 10 for a discussion of weekday versus weekend parking demand




Figure 4. Parking Need - Method #1

METHOD #2 - FIELD STUDY

Existing Parking. A parking occupancy study was performed at the site on 3/23/2001-3/24/2001 (Wednesday and Thursday) for the purposes of determining the current parking availability. Data was collected from 11am to 3pm, and from 4pm to 8pm. A data collector circulated the parking facility every half-hour to determine the number of spaces occupied. As shown in Figure 5, the parking area was separated into six (6) distinct "lots": A, B, C, D, E, and F. This was done to determine which areas of the entire parking facility were most heavily used. Lot F represents the curb area adjacent to the building where vehicles were parked, usually as a waiting area for pick-ups and dropoffs.

Figure 6 shows the existing parking occupancy resulting from field data, expressed in percent occupancy. The existing parking needs for the entire lot are compared to the needs at Lot B. The time period with the highest overall parking occupancy occurred at 12:30 pm (55% filled). Lot B (the area where Schlotzsky's customers will most likely park after site modification) reached a high occupancy of 33% (at 12:30pm).

Parking Study for Schlotzky's at Tempe Village Square










Figure 6. Existing Parking Demand - All Lots vs. Lot B



<u>Future Parking</u>. The parking was then analyzed by adding parking needs generated by the Schlotzsky's relocation, as well as the assumption of 100% tenant occupancy. Using City of Tempe's Parking Ordinance data for parking spaces and "percent use by hour", parking needs were generated. Parking generation for half-hours (i.e., 1:30pm, 2:30pm, etc.) were interpolated from full hour data. Figure 7 shows the parking needs based on the site modifications. Since Method #2 is based on actual field data collected, no reductions were taken. However, a 10% addition was still included to account for demand fluctuations which could occur over time.

Figure 7. Future Parking Demand - Method #2



As shown in Figure 7, the number of projected spaces to be occupied falls well below the number of total parking spaces. During the period of highest parking occupancy (12:30 pm), 116 spaces are still available.

COMPARISON OF METHOD #1 VS. METHOD #2 RESULTS

Figure 8 presents a comparison of parking demand after site modification, using a comparison of Method #1 vs. Method #2 results. As shown, the City Ordinance results in a need for greater parking. There are several reasons which could lead to the disparity:

- Ordinance calculations are conservatively generated. This is done in part to account for the wide variety in parking demand that occurs within specific land use types.
- Renalwest, a dialysis center located on site only has 14 kidney machines. With only a few employees working at a time, the number of spaces occupied for this land use should rarely exceed 20. Using ordinance calculations, 47 spaces are required.
- Captive market, transit, bicycle, and pedestrian activity exceeds estimations which were used in calculating parking demand for Method #1. Since assessments of these parking reductions can be difficult to quantify, estimations are made to err on the conservative side. However, it is apparent that the Tempe Village Square shopping center maintains a more significant parking reduction at this shopping center than was assumed using Method #1.

500 450 Parking Spaces 400 350 300 250 200 150 100 :30p 30p 30p 12p 30p Time of Day Method #1 Method #2 ——Capacity

Figure 8. Projected Parking Demand - Method #1 vs. Method #2

WEEKDAY VS. WEEKEND PARKING DEMAND

The land-use components of the site will result in critical parking needs occurring during the weekday. Retail and restaurant land uses generate similar parking needs on Saturdays as they do on weekdays. However, the parking needs for the shopping center as a whole

will be less on weekends, due to a typically lesser need for parking with office, school, and day care land uses on Saturdays and Sundays.

Parking demand is low on Sundays, as most business cut back hours (or are closed) on this day. Although a Church is located in the shopping center and will draw a significant parking need on Sundays, the remaining land uses will generate the lowest parking need on this day.

To confirm that weekday parking demand would indeed be higher than weekend parking demand, Method #1 (using Tempe's parking Ordinance) was used to estimate weekend parking demand at the shopping center. A comparison of weekday vs. weekend trips is shown in Figure 9.




Figure 9. Weekday vs. Weekend Parking Demand (Method #1)

BICYCLE PARKING

Tempe Ordinance requires 36 bicycle spaces for a development of this size. Currently there is a 5-bar bicycle rack on site, which may provide storage for 5 to 10 bicycles. It is recommended that additional bicycle racks be added to the site to comply with Tempe's requirements.

CONCLUSIONS

The proposed site modifications to the Tempe Village Square shopping center will result in a total of 468 parking spaces available. Based on the relocation of Schlotzsky's and the assumption of full tenant occupancy, the following conclusions are noted:

- Parking demand is heaviest on weekdays.
- Based on City of Tempe's parking Ordinance, the maximum parking occupancy occurs at 1 pm when 89% of spaces are projected to be filled after site modification.
 This leaves 51 spaces unoccupied in the heaviest period of the day.
- Based on field data collected at the site, the maximum parking occupancy after site
 modification occurs at 12:30 pm. when 75% of the spaces are projected to be filled.
 This leaves 116 spaces unoccupied during the heaviest period of the day.
- Using either methodology for determining parking requirements, the parking demand is projected to stay well below maximum capacity at all times of the day. Therefore, the proposed development modifications will provide for adequate vehicular parking at Tempe Village Square shopping center. The relocation of Schlotzsky's will also provide balance to the parking lot by creating parking demand at an area of the parking lot that is currently underutilized.
- It is recommended that additional bicycle racks be installed to comply with Tempe's requirements of storage for 36 bicycles.

	Method #1 - \	Restaurant	Restaurant				Place of	Storage	Totals
Occupant	(Occupied)	(Outdoor)	(indoor)	Office	School	Day Care	Worship		100015
571	17,074.00	100000						4,000.00	
REI Golden Scissors	1,152,00								
ow Cost Drugs	1,204.00		1						
Brad Hotchkiss	625.00								
Thunderbird Party Sales	4,676.00								
Robbie's Flowers	1,648.00								
Boddie z Lyweis	1,040.00								
Vacant	10,060.00								
Golden Egg Roll	 		1,861.00						
Schlatzky's Deli (Existing)			2,000.00						
Taco Mexico	1		1,002.00						
BJ's Meeting Place			3,498.00						
Schlotsky's (New)		1000	3,400.00						
Danny Udovica	 			300.00					
Vacant				868.00					
Rental Office				125.00					
Andrews Design Group	1			2891.00					
Animal Clinic				600.00					
Renalwest	11,778.00								
AZ School of Massage Therapy					14,065.00				
						4,274.00			
Discovery Time Child Care					 	1,143.00			
Hacienda de los Angeles			+			1,140.00			
River Life Worship Center							5,987.00		
Square Footage	48,217.00	1,000.00	11,761.00	4,784.00	14,065.00	5,417.00	5,987.00	4,000.00	95,231.0
Parking Ratio	250	150	75	150	200	300	100	500	
D. dies Donnierd	193	7	157	32	70	18	60	8	544
Parking Required Adjusted Parking (-15%)	164	6	133	27	60	15	51	7	463

Percent of Ordinance	Retail (Occupied)	Retail (Vacant)	Restaurant	Office	School	Day Care	Place of Worship	Storage	Capacity
7am	5	10	10	25	50	50	0	5	468
8am	20	20	20	80	100	100	10	20	468
Sam	30	25	25	100	100	100	75	30	468
10am	40	30	30	100	100	100	100	40	468
	50	75	75	100	95	95	75	50	468
11am	75	85	85	80	70	70	10	75	468
noon	85	75	75	75	95	95	75	85	468
1pm	95	45	45	95	95	95	100	95	468
2pm	100	35	35	95	85	85	75	100	468
3pm	85	40	40	85	35	35	10	85	466
4pm	80	60	60	70	50	50	20	80	468
5pm	70	80	80	25	20	20	30	70	468
6pm	60	95	95	15	70	70	40	60	468
7pm		100	100	10	80	80	40	50	468
8pm	50	100	100	5	80	80	20	45	468
9pm	45		75	5	50	50	5	25	468
10pm	25	75 66		2	30	30	ŏ	10	468
11pm	10	60	- 60	2	15	15	Ö	5	468
midnight	5	50	50		5	5	Ö	2	468
1am	2	35	35	C	5	3	v	4	

Dadina Damand	Retail (Occupied)	Retail (Vacant)	Restaurant	Office	School	Day Care	Place of Worship	Storage	Totals	10% addition
Parking Demand		(Vacant)	13	7	30	8	0	0	67	73
7am	8		27	22	60	15	5	1	164	180
Bam	33		33	27	60	15	38	2	226	249
J am	49	1		27	60	15	51	3	263	289
l0am	66	2	40			15	38	3	326	359
1am	82	4	100	27	57			5	326	358
10001	123	5	113	22	42	11	-	6	379	417
pm	139	4	100	20	57	15	38	-	373	410
2pm	156	3	60	26	57	15	51	6		382
3pm	164	2	47	26	51	13	38	,	347	
ipm	139	2	53	23	21	5	5	6	255	281
Spm	131	3	80	19	30	8	10	5	287	315
Spm Spm	115	- 5	107	7	12	3	15	5	268	295
	98	5	127	4	42	11	20	4	311	343
7pm 2	82	6	133	3	48	12	20	3	307	338
3pm	74	6	133	1	48	12	10	3	287	316
9pm	41	4	100	•	30	8	3	2	188	207
10pm		3	80	;	18	5	0	1	124	136
11pm	16	_			9	2	ō	0	90	99
midnight	8	3	67	,	3	•	ō	ŏ	56	61
1am	3	2	47	0	3		U	•	50	

	WEEK	END Parking	Ordinance	Requireme	ints (Prope	osed)			
Occupant	Retail (Occupied)	Restaurant (Outdoor)	Restaurant (indoor)	Office	School	Day Care	Place of Worship	Storage	Totals
REI	17,074.00							4,000.00	
Golden Scissors	1,152.00								
ow Cost Drugs	1,204.00								
Brad Hotchkiss	625.00								
hunderbird Party Sales	4,676.00								
Bobbie's Flowers	1,648.00								
Vacant	10,060.00								
Golden Egg Roll			1,861.00						
Schlotzky's Deli (Existing)			2,000.00						
Taco Mexico			1,002.00						
BJ's Meeting Place			3,498.00						
Schlotsky's (New)		1000	3,400.00						
Danny Udovica				300.00					
Vacant				868.00					
Rental Office				125.00					
Andrews Design Group				2891.00					
Animal Clinic				600.00					
Renalwest	11,778.00								
AZ School of Massage Therapy					14,065.00				
Discovery Time Child Care	-					4,274.00			
Hacienda de los Angeles						1,143.00			
River Life Worship Center							5,987.00		
Square Footage	48,217.00	1,000.00	11,761.00	4,784.00	14,065.00	5,417.00	5,987.00	4,000.00	95,231.0
Parking Ratio	250	150	75	150	200	300	100	500	
Parking Required	192.87	6.67	156.81	31.89	70.33	18.06	59.87	8.00	544.49
Adjusted Parking (-15%)	164	6	133	27	60	15	51	7	463

Percent of Ordinance	Retail (Occupied)	Restaurant (Outdoor)	Restaurant	Office	School	Day Care	Place of Worship	Storage	Totals
7am	5	10	10	2	0	0	10	5	468
8am	20	35	35	5	5	5	30	20	468
9am	40	45	45	10	40	40	90	40	468
10am	65	75	75	15	40	40	100	65	468
11am	70	95	95	10	20	20	100	70	468
noon	60	. 100	100	10	10	10	50	60	468
1pm	75	95	95	15	30	30	20	75	468
2pm	65	45	45	10	30	30	10	6 5	468
3pm	55	25	25	10	30	30	5	55	468
4pm	45	30	30	5	20	20	5	45	468
5pm	30	50	50	2	10	10	5	30	468
6pm	20	75	75	2	5	5	30	20	468
7pm	25	100	100	0	5	5	40	25	468
8pm	30	100	100	0	5	5	40	30	. 468
9pm	. 20	100	100	0	2	2	20	20	468
10pm	5	95	95	0	0	0	10	5	468
11pm	2	75	75	0	0	0	2	2	468
midnight	0	55	55	0	0	0	0	0	468
1am	C	35	35	0	0	0	0	0	468

Parking Demand	Retail (Occupied)	Restaurant (Outdoor)	Restaurant	Office	School	Day Care	Place of Worship	Storage	Totals	10% Addition
7am	8	1	13	1	0	0	5	0	28	31
8am	33	2	47	1	3	1	15	1	103	113
9am	66	3	60	3	24	6	46	3	209	230
10am	107	4	100	4	24	6	51	4	300	330
11am	115	5	127	3	12	3	51	5	320	352
noon	98	6	133	3	6	2	25	4	277	305
1pm	123	5	127	4	18	5	10	5	297	327
2pm	107	3	60	3	18	5	5	4	204	224
3pm	90	1	33	3	18	5	3	4	156	172
4pm	74	2	40	1	12	3	3	3	137	151
5pm	49	3	67	1	6	2	3	2	131	144
6pm	33	4	100	1	3	1	15	1	158	174
7pm	41	6	133	0	3	1	20	2	206	226
8pm	49	6	133	0	3	1	20	2	214	236
9pm	33	6	133	0	1	0	10	1	185	203
10pm	a a	5	127	0	0	0	5	0	146	160
11pm	3	4	100	0	0	0	1	0	109	120
midnight	ő	3	73	Ō	0	0	0	0	76	84
1am	ő	2	47	Ō	0	0	0	0	49	53

		CLE Parking		reduiteme	ucz (Propo) sen!			
Occupant	Retail (Occupied)	Restaurant (Outdoor)	Restaurant (Indoor)	Office	School	Day Care	Place of Worship	Storage	Totals
REI	17,074.00							4,000.00	
Golden Scissors	1,152.00								
Low Cost Drugs	1,204.00								
Brad Hotchkiss	625.00	***************************************							
Thunderbird Party Sales	4,676.00								
Bobbie's Flowers	1,648.00								
Vacant	10,060.00								
Golden Egg Roll			1,861.00						
Schlotzky's Deli (Existing)			2,000.00						
Taco Mexico			1,002.00						
BJ's Meeting Place			3,498.00						
Schlotsky's (New)		1000	3,400.00						
Danny Udovica	 			300.00					
Vacant				868.00		***************************************		*************	
Rental Office	T			125.00					
Andrews Design Group				2891.00					
Animal Clinic				600.00					
Renalwest	11,778.00								
AZ School of Massage Therapy					14,065.00				
Discovery Time Child Care		-1				4,274.00			
Hacienda de los Angeles						1,143.00			
River Life Worship Center							5,987.00		
Square Footage	48,217.00	1,000.00	11,761.00	4,784.00	14,065.00	5,417.00	5,987.00	4,000.00	95,231.0
Parking Ratio	3000	2000	1000	2500	1500	3000	1500	5000	
Parking Required	16.07	0.50	11.76	1.91	9.38	1.81	3.99	0.80	46.2
Adjusted Parking required	13.66	0.43	10.00	1.63	7.97	1.53	3.39	0.68	39.2

Percent of Ordinance	Retail (Occupied)	Retail (Vacant)	Restaurant	Office	School	Day Care	Place of Worship	Storage	
7am	5	10	10	25	50	50	0	5	
8am	20	20	20	80	100	100	10	20	
9am	30	25	25	100	100	100	75	30	
10am	40	30	30	100	100	100	100	40	
11am	50	75	75	100	95	95	75	50	
noon	75 '	65	85	80	70	70	10	75	
1pm	85	75	75	75	95	95	75	85	
2pm	95	45	45	95	95	95	100	95	
3pm	100	35	35	95	85	85	75	100	
4pm	85	40	40	85	35	35	10	85	
5pm	80	60	60	70	50	50	20	80	
6pm	70	80	80	25	20	20	30	70	
7pm	60	95	95	15	70	70	40	60	
8pm	50	100	100	10	80	80	40	50	
9pm	45	100	100	5	80	60	20	45	
10pm	25	75	75	5	50	50	5	25	
11pm	10	60	60	2	30	30	ō	10	
midnight	5	50	50	2	15	15	ō	5	
1am	2	35	35	ō	5	5	õ	2	

	Retail (Occupied)	Retail (Vacant)	Restaurant	Office	School	Day Care	Place of Worship	Storage	Totals	10% addition
7am	1	0	1	0	4	1	0	0	7	8
8am	3	0	2	1	8	2	0	0	16	18
9am	4	0	2	2	8	2	3	0	21	23
10am	5	0	3	2	8	2	3	0	23	26
11am	7	0	7	2	8	1	3	0	28	31
noon	10	0	8	1	6	1	0	1	28	31
1pm	12	0	7	1	8	1	3	1	33	36
2pm	13	0	4	2	8	. 1	3	1	32	36
3pm	14	0	3	2	7	1	3	1	30	33
4pm	12	0	4	1	3	1	0	1	21	24
5pm	11	0	6	1	4	1	1	1	24	27
6pm	10	0	8	0	2	0	1	0	22	24
7pm	8	0	9	0	6	1	1	0	27	29
8pm	. 7	0	10	0	6	1	1	0	27	29
9pm	6	0	10	0	6	1	1	0	25	28
10pm	3	0	7	0	4	1	. 0	0	16	18
11pm	1	0	6	0	2	0	0	0	11	12
midnight	1	0	5	0	1	0	0	0	7	8
1am	O	0	3	0	0	0	0	0	4	5

•

Tempe Village Square

	Chaces 11e 11:30a 12n 12:30n	4	11.302	120	12:30p	Ç	1.300	20	Occup	Occupied Parking Spaces	rking S 40	paces 4:30p	50	5:30p	6 0	6:30p	7p	7:30p	8 0
	S S S S S S S S S S S S S S S S S S S	<u> </u>		1	2	<u>.</u>	<u>.</u>	Ì		-				•	•	•	•	,	
A	190	121	120	121	126	66	109	121	115	109	116	116	109	91	62	65	87	84	80
Ш	56	12	16	18	21	15	16	15	17	13	16	4	14	17	19	18	17.	14	13
۵	36	22	28	28	24	20	21	÷ 18	12	8	10	မ	ဆ	တ	9	7	9	14	ဆ
Ω.	86	16	17	29	32	21	15	20	13	12	14	17	13	တ	4	5	ဆ	7	7
ပ	22	6	80	14	14	10	4	8	10	7	သ	ထ	မ	4	4	က	5	4	3
L	0	9	5	5	5	3	4	7	10	10	သ	2	က	0	9	7	15	14	13
Existing	402	186	194	215	222	168	169	189	177	159	166	163	153	130	105	113	142	137	124
Capacity	468	468	468	468	468	468	468	468	468	468	468	468	468	468	468	468	468	468	468
Additional		8	92	100	98	96	87	77	74	7.1	69	16	82	87	92	96	66	66	66
Parking Required 269 adjusted total (10%) 296	equired 10%)	269	286 315	315	320 352	264 290	256 282	266 293	251 276	230	235	239	235 259	217 239	197	209	241 265	236 260	223 245